

Opti-Lube Lithium Complex Block Grease

Features:

- **Excellent Lubrication Properties**
- **Long Storage Life**
- **Conveniently packed in 50 lb boxes, 4"x4"x8" blocks.**

Typical Properties	ASTM Test Method	Specifications
Soap Type	D128	Lithium Complex
Appearance	Visual	Medium Amber
Texture	Visual	Solid
Base Oil Viscosity	D445 SUS @ 40° C	1400
Base Oil Viscosity	D445 SUS @ 100° C	90-110
Dropping Point, F°	D2265	525
Thickener Content, %	D128	18-22
Viscosity Index	D2270	85
Cone Penetration @ 77° F	D217	40-70

Opti-Lube

A division of OutWest Ventures

Call Toll Free: 1-888-326-6789

(505) 326-1234

email: info@centurionlubes.com

www.centurionlubes.com



Made in **USA**

VI. HEALTH HAZARD SUMMARY

ROUTES OF EXPOSURE AND EFFECTS OF OVEREXPOSURE

SKIN ABSORPTION: Avoid excessive skin contact.

INGESTION: Do not ingest.

THRESHOLD LIMIT VALUE: Not established for this product.

CONTAINS KNOWN CARCINOGENS: No NTP: No IARC: No OSHA: No

EMERGENCY AND FIRST AID PROCEDURES:

EYES: In case of contact, flush eyes with plenty of water for at least 15 minutes.
Get medical attention if irritation occurs.

SKIN: Wash skin with soap and water. If irritation occurs, get medical attention.
Wash clothing before reuse.

INHALATION: If respiratory discomfort or irritation occurs, move the person to fresh air.
See a doctor if discomfort or irritation continues.

INGESTION: If swallowed, call a physician immediately.
Only induce vomiting at the instructions of a physician.
Never give anything by mouth to an unconscious person.

VII. PRECAUTIONS

WASTE DISPOSAL PROCEDURES:

Dispose of in accordance with local, state and federal regulations.

DISCLAIMER

While Opti-Lube believes that the data contained herein are factual and the opinions expressed are those of qualified experts, the data are not to be taken as a warranty or representation for which Opti-Lube assumes legal responsibility. It is offered solely for your consideration, investigation and verification. It is the users' responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary.